


## S1 polyester flat webbing slings with reinforced eyes

### Product information



This professional webbing sling is extremely suitable for intensive industrial use.

### Packaging



#### SEMI-BIODEGRADABLE

Packaged in semi-biodegradable plastic.

### Properties

- Duplex hoisting belt; double strap layers.
- Extra strong, water- and dirt-repellent, impregnated fabric guarantees a longer life.
- WLL stripes, each stripe is 1 ton (up to 10 tons).
- Every 30 mm band width is 1 ton load capacity.

... [Read more](#)

**Material:** polyester

**Marking:** According to standard, CE-marked

**Standard:** EN 1492-1

**Note:** Packed in plastic including REMA manual.

## S1 polyester flat webbing slings with reinforced eyes

### Technical data

| Part code   | GTIN No.      | WLL | EWL | WLL Straight Lift ton | Choke Hitch ton | Basket Hitch 0° ton | Basket Hitch 0-45° ton | Basket Hitch 45°-60° ton | WLL 45-60° t | Length | Webbing width mm | Model         | Colour | Weight |
|-------------|---------------|-----|-----|-----------------------|-----------------|---------------------|------------------------|--------------------------|--------------|--------|------------------|---------------|--------|--------|
| 34111211031 | 8717365003714 | 1   | 1   | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | -      | 30               | S1-PE-1t-1M   | Purple | 0.25   |
| 34111211033 | 8717365003721 | 1   | 1.5 | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 1.5    | 30               | S1-PE-1t-1,5M | Purple | 0.5    |
| 34111211061 | 8717365003820 | 2   | 1   | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 1      | 60               | S1-PE-2t-1M   | Green  | 0.6    |
| 34111211037 | 8717365003745 | 1   | 3   | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 3      | 30               | S1-PE-1t-3M   | Purple | 0.7    |
| 34111211091 | 8717365003936 | 3   | 1   | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 1      | 90               | S1-PE-3t-1M   | Yellow | 0.75   |
| 34111211035 | 8717365003738 | 1   | 2   | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 2      | 30               | S1-PE-1t-2M   | Purple | 0.76   |
| 34111211039 | 8717365003752 | 1   | 4   | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 4      | 30               | S1-PE-1t-4M   | Purple | 0.9    |
| 34111211063 | 8717365003837 | 2   | 1.5 | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 1.5    | 60               | S1-PE-2t-1,5M | Green  | 0.9    |
| 34111211093 | 8717365003943 | 3   | 1.5 | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 1.5    | 90               | S1-PE-3t-1,5M | Yellow | 1      |
| 34111211041 | 8717365003769 | 1   | 5   | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 5      | 30               | S1-PE-1t-5M   | Purple | 1.07   |
| 34111211043 | 8717365003776 | 1   | 6   | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 6      | 30               | S1-PE-1t-6M   | Purple | 1.3    |
| 34111211065 | 8717365003844 | 2   | 2   | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 2      | 60               | S1-PE-2t-2M   | Green  | 1.3    |
| 34111211095 | 8717365003950 | 3   | 2   | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 2      | 90               | S1-PE-3t-2M   | Yellow | 1.35   |
| 34111211069 | 8717365003868 | 2   | 4   | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 4      | 60               | S1-PE-2t-4M   | Green  | 1.45   |
| 34111211045 | 8717365003783 | 1   | 7   | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 7      | 30               | S1-PE-1t-7M   | Purple | 1.7    |
| 34111211067 | 8717365003851 | 2   | 3   | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 3      | 60               | S1-PE-2t-3M   | Green  | 1.8    |
| 34111211071 | 8717365003875 | 2   | 5   | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 5      | 60               | S1-PE-2t-5M   | Green  | 1.8    |
| 34111211047 | 8717365003790 | 1   | 8   | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 8      | 30               | S1-PE-1t-8M   | Purple | 1.9    |
| 34111211049 | 8717365003806 | 1   | 9   | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 9      | 30               | S1-PE-1t-9M   | Purple | 1.9    |
| 34111211125 | 8717365004049 | 4   | 2   | 4                     | 3.2             | 8                   | 5.6                    | 4                        | 4            | 2      | 120              | S1-PE-4t-2M   | Grey   | 2.05   |

## S1 polyester flat webbing slings with reinforced eyes

### Technical data

| Part code   | GTIN No.      | WLL | EWL | WLL Straight Lift ton | Choke Hitch ton | Basket Hitch 0° ton | Basket Hitch 0-45° ton | Basket Hitch 45°-60° ton | WLL 45-60° t | Length | Webbing width mm | Model        | Colour | Weight |
|-------------|---------------|-----|-----|-----------------------|-----------------|---------------------|------------------------|--------------------------|--------------|--------|------------------|--------------|--------|--------|
| 34111211155 | 8717365020032 | 5   | 2   | 5                     | 4               | 10                  | 7                      | 5                        | 5            | 2      | 150              | S1-PE-5t-2M  | Red    | 2.05   |
| 34111211051 | 8717365003813 | 1   | 10  | 1                     | 0.8             | 2                   | 1.4                    | 1                        | 1            | 10     | 30               | S1-PE-1t-10M | Purple | 2.1    |
| 34111211097 | 8717365003967 | 3   | 3   | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 3      | 90               | S1-PE-3t-3M  | Yellow | 2.25   |
| 34111211073 | 8717365003882 | 2   | 6   | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 6      | 60               | S1-PE-2t-6M  | Green  | 2.5    |
| 34111211099 | 8717365003974 | 3   | 4   | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 4      | 90               | S1-PE-3t-4M  | Yellow | 2.7    |
| 34111211075 | 8717365003899 | 2   | 7   | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 7      | 60               | S1-PE-2t-7M  | Green  | 2.9    |
| 34111211077 | 8717365003905 | 2   | 8   | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 8      | 60               | S1-PE-2t-8M  | Green  | 3.25   |
| 34111211157 | 8717365004148 | 5   | 3   | 5                     | 4               | 10                  | 7                      | 5                        | 5            | 3      | 150              | S1-PE-5t-3M  | Red    | 3.5    |
| 34111211127 | 8717365004315 | 4   | 3   | 4                     | 3.2             | 8                   | 5.6                    | 4                        | 4            | 3      | 120              | S1-PE-4t-3M  | Grey   | 3.6    |
| 34111211129 | 8717365004063 | 4   | 4   | 4                     | 3.2             | 8                   | 5.6                    | 4                        | 4            | 4      | 120              | S1-PE-4t-4M  | Grey   | 3.7    |
| 34111211079 | 8717365003912 | 2   | 9   | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 9      | 60               | S1-PE-2t-9M  | Green  | 3.75   |
| 34111211101 | 8717365003981 | 3   | 5   | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 5      | 90               | S1-PE-3t-5M  | Yellow | 3.75   |
| 34111211159 | 8717365004155 | 5   | 4   | 5                     | 4               | 10                  | 7                      | 5                        | 5            | 4      | 150              | S1-PE-5t-4M  | Red    | 3.75   |
| 34111211103 | 8717365003998 | 3   | 6   | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 6      | 90               | S1-PE-3t-6M  | Yellow | 3.85   |
| 34111211105 | 8717365004001 | 3   | 7   | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 7      | 90               | S1-PE-3t-7M  | Yellow | 3.85   |
| 34111211081 | 8717365003929 | 2   | 10  | 2                     | 1.6             | 4                   | 2.8                    | 2                        | 2            | 10     | 60               | S1-PE-2t-10M | Green  | 4.2    |
| 34111211107 | 8717365004018 | 3   | 8   | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 8      | 90               | S1-PE-3t-8M  | Yellow | 4.2    |
| 34111211131 | 8717365004070 | 4   | 5   | 4                     | 3.2             | 8                   | 5.6                    | 4                        | 4            | 5      | 120              | S1-PE-4t-5M  | Grey   | 4.6    |
| 34111211161 | 8717365004162 | 5   | 5   | 5                     | 4               | 10                  | 7                      | 5                        | 5            | 5      | 150              | S1-PE-5t-5M  | Red    | 4.6    |
| 34111211133 | 8717365004087 | 4   | 6   | 4                     | 3.2             | 8                   | 5.6                    | 4                        | 4            | 6      | 120              | S1-PE-4t-6M  | Grey   | 5.05   |

## S1 polyester flat webbing slings with reinforced eyes

### Technical data

| Part code   | GTIN No.      | WLL | EWL | WLL Straight Lift ton | Choke Hitch ton | Basket Hitch 0° ton | Basket Hitch 0-45° ton | Basket Hitch 45°-60° ton | WLL 45-60° t | Length | Webbing width mm | Model        | Colour | Weight |
|-------------|---------------|-----|-----|-----------------------|-----------------|---------------------|------------------------|--------------------------|--------------|--------|------------------|--------------|--------|--------|
| 34111211109 | 8717365004025 | 3   | 9   | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 9      | 90               | S1-PE-3t-9M  | Yellow | 5.35   |
| 34111211163 | 8717365004179 | 5   | 6   | 5                     | 4               | 10                  | 7                      | 5                        | 5            | 6      | 150              | S1-PE-5t-6M  | Red    | 5.4    |
| 34111211135 | 8717365004094 | 4   | 7   | 4                     | 3.2             | 8                   | 5.6                    | 4                        | 4            | 7      | 120              | S1-PE-4t-7M  | Grey   | 6.2    |
| 34111211137 | 8717365004100 | 4   | 8   | 4                     | 3.2             | 8                   | 5.6                    | 4                        | 4            | 8      | 120              | S1-PE-4t-8M  | Grey   | 6.2    |
| 34111211139 | 8717365004117 | 4   | 9   | 4                     | 3.2             | 8                   | 5.6                    | 4                        | 4            | 9      | 120              | S1-PE-4t-9M  | Grey   | 7.05   |
| 34111211111 | 8717365004032 | 3   | 10  | 3                     | 2.4             | 6                   | 4.2                    | 3                        | 3            | 10     | 90               | S1-PE-3t-10M | Yellow | 7.5    |
| 34111211187 | 8717365004230 | 6   | 3   | 6                     | 4.8             | 12                  | 8.4                    | 6                        | 6            | 3      | 180              | S1-PE-6t-3M  | Brown  | 7.5    |
| 34111211141 | 8717365004124 | 4   | 10  | 4                     | 3.2             | 8                   | 5.6                    | 4                        | 4            | 10     | 120              | S1-PE-4t-10M | Grey   | 8.25   |
| 34111211217 | 8717365020346 | 8   | 3   | 8                     | 6.4             | 16                  | 11.2                   | 8                        | 8            | 3      | 240              | S1-PE-8t-3M  | Blue   | 8.7    |
| 34111211189 | 8717365004247 | 6   | 4   | 6                     | 4.8             | 12                  | 8.4                    | 6                        | 6            | 4      | 180              | S1-PE-6t-4M  | Brown  | 10     |
| 34111211247 | 8717365004391 | 10  | 3   | 10                    | 8               | 20                  | 14                     | 10                       | 10           | 3      | 300              | S1-PE-10t-3M | Orange | 10.8   |
| 34111211219 | 8717365004322 | 8   | 4   | 8                     | 6.4             | 16                  | 11.2                   | 8                        | 8            | 4      | 240              | S1-PE-8t-4M  | Blue   | 11.6   |
| 34111211191 | 8717365004254 | 6   | 5   | 6                     | 4.8             | 12                  | 8.4                    | 6                        | 6            | 5      | 180              | S1-PE-6t-5M  | Brown  | 12.5   |
| 34111211165 | 8717365004186 | 5   | 7   | 5                     | 4               | 10                  | 7                      | 5                        | 5            | 7      | 150              | S1-PE-5t-7M  | Red    | 12.6   |
| 34111211167 | 8717365004193 | 5   | 8   | 5                     | 4               | 10                  | 7                      | 5                        | 5            | 8      | 150              | S1-PE-5t-8M  | Red    | 14.4   |
| 34111211249 | 8717365004407 | 10  | 4   | 10                    | 8               | 20                  | 14                     | 10                       | 10           | 4      | 300              | S1-PE-10t-4M | Orange | 14.4   |
| 34111211221 | 8717365004339 | 8   | 5   | 8                     | 6.4             | 16                  | 11.2                   | 8                        | 8            | 5      | 240              | S1-PE-8t-5M  | Blue   | 14.5   |
| 34111211193 | 8717365020339 | 6   | 6   | 6                     | 4.8             | 12                  | 8.4                    | 6                        | 6            | 6      | 180              | S1-PE-6t-6M  | Brown  | 15     |
| 34111211169 | 8717365004209 | 5   | 9   | 5                     | 4               | 10                  | 7                      | 5                        | 5            | 9      | 150              | S1-PE-5t-9M  | Red    | 16.2   |
| 34111211223 | 8717365004346 | 8   | 6   | 8                     | 6.4             | 16                  | 11.2                   | 8                        | 8            | 6      | 240              | S1-PE-8t-6M  | Blue   | 17.4   |

## S1 polyester flat webbing slings with reinforced eyes

### Technical data

| Part code   | GTIN No.      | WLL | EWL | WLL Straight Lift ton | Choke Hitch ton | Basket Hitch 0° ton | Basket Hitch 0-45° ton | Basket Hitch 45°-60° ton | WLL 45-60° t | Length | Webbing width mm | Model         | Colour | Weight |
|-------------|---------------|-----|-----|-----------------------|-----------------|---------------------|------------------------|--------------------------|--------------|--------|------------------|---------------|--------|--------|
| 34111211195 | 8717365004278 | 6   | 7   | 6                     | 4.8             | 12                  | 8.4                    | 6                        | 6            | 7      | 180              | S1-PE-6t-7M   | Brown  | 17.5   |
| 34111211171 | 8717365004216 | 5   | 10  | 5                     | 4               | 10                  | 7                      | 5                        | 5            | 10     | 150              | S1-PE-5t-10M  | Red    | 18     |
| 34111211251 | 8717365004414 | 10  | 5   | 10                    | 8               | 20                  | 14                     | 10                       | 10           | 5      | 300              | S1-PE-10t-5M  | Orange | 18     |
| 34111211197 | 8717365004285 | 6   | 8   | 6                     | 4.8             | 12                  | 8.4                    | 6                        | 6            | 8      | 180              | S1-PE-6t-8M   | Brown  | 20     |
| 34111211225 | 8717365004353 | 8   | 7   | 8                     | 6.4             | 16                  | 11.2                   | 8                        | 8            | 7      | 240              | S1-PE-8t-7M   | Blue   | 20.3   |
| 34111211253 | 8717365004421 | 10  | 6   | 10                    | 8               | 20                  | 14                     | 10                       | 10           | 6      | 300              | S1-PE-10t-6M  | Orange | 21.6   |
| 34111211199 | 8717365004292 | 6   | 9   | 6                     | 4.8             | 12                  | 8.4                    | 6                        | 6            | 9      | 180              | S1-PE-6t-9M   | Brown  | 22.5   |
| 34111211227 | 8717365004360 | 8   | 8   | 8                     | 6.4             | 16                  | 11.2                   | 8                        | 8            | 8      | 240              | S1-PE-8t-8M   | Blue   | 23.2   |
| 34111211201 | 8717365004308 | 6   | 10  | 6                     | 4.8             | 12                  | 8.4                    | 6                        | 6            | 10     | 180              | S1-PE-6t-10M  | Brown  | 25     |
| 34111211255 | 8717365004438 | 10  | 7   | 10                    | 8               | 20                  | 14                     | 10                       | 10           | 7      | 300              | S1-PE-10t-7M  | Orange | 25.2   |
| 34111211229 | 8717365004377 | 8   | 9   | 8                     | 6.4             | 16                  | 11.2                   | 8                        | 8            | 9      | 240              | S1-PE-8t-9M   | Blue   | 26.1   |
| 34111211257 | 8717365004445 | 10  | 8   | 10                    | 8               | 20                  | 14                     | 10                       | 10           | 8      | 300              | S1-PE-10t-8M  | Orange | 28.8   |
| 34111211231 | 8717365004384 | 8   | 10  | 8                     | 6.4             | 16                  | 11.2                   | 8                        | 8            | 10     | 240              | S1-PE-8t-10M  | Blue   | 29     |
| 34111211259 | 8717365004452 | 10  | 9   | 10                    | 8               | 20                  | 14                     | 10                       | 10           | 9      | 300              | S1-PE-10t-9M  | Orange | 32.4   |
| 34111211261 | 8717365004469 | 10  | 10  | 10                    | 8               | 20                  | 14                     | 10                       | 10           | 10     | 300              | S1-PE-10t-10M | Orange | 36     |