

## 1 leg REMA-10-RML-RDG-RCS

### Product information



The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

1 leg REMA-10 | masterlink RML | clevis shortening hook RDG | self locking clevis hook RCS



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality. [... Read more](#)

**Marking:** According to standard, CE-marked

**Standard:** EN 818-7, EN 1677-1, DIN 5692, DIN 17115

**Safety factor:** 4

**Grade:** 10

# 1 leg REMA-10-RML-RDG-RCS

## Technical data

| Part code     | GTIN No.      | Chain diameter<br>mm | WLL<br>ton | EWL<br>m | Model                    | Weight<br>kg |
|---------------|---------------|----------------------|------------|----------|--------------------------|--------------|
| 240526914061  | 8717365151774 | 6                    | 1.4        | 1        | 1400KG-6MM-RDG-RCS-1M    | 2.2          |
| 2405269140615 | 8717365151781 | 6                    | 1.4        | 1.5      | 1400KG-6MM-RDG-RCS-1,5M  | 2.6          |
| 240526914062  | 8717365151798 | 6                    | 1.4        | 2        | 1400KG-6MM-RDG-RCS-2M    | 3            |
| 2405269140625 | 8717365151804 | 6                    | 1.4        | 2.5      | 1400KG-6MM-RDG-RCS-2,5M  | 3.4          |
| 240526914063  | 8717365151811 | 6                    | 1.4        | 3        | 1400KG-6MM-RDG-RCS-3M    | 3.8          |
| 2405269140635 | 8717365151828 | 6                    | 1.4        | 3.5      | 1400KG-6MM-RDG-RCS-3,5M  | 4.2          |
| 240526914064  | 8717365151835 | 6                    | 1.4        | 4        | 1400KG-6MM-RDG-RCS-4M    | 4.6          |
| 240526914081  | 8717365151842 | 8                    | 2.5        | 1        | 2500KG-8MM-RDG-RCS-1M    | 3.6          |
| 2405269140815 | 8717365151859 | 8                    | 2.5        | 1.5      | 2500KG-8MM-RDG-RCS-1,5M  | 4.35         |
| 240526914082  | 8717365151866 | 8                    | 2.5        | 2        | 2500KG-8MM-RDG-RCS-2M    | 5.1          |
| 2405269140825 | 8717365151873 | 8                    | 2.5        | 2.5      | 2500KG-8MM-RDG-RCS-2,5M  | 5.85         |
| 240526914083  | 8717365151880 | 8                    | 2.5        | 3        | 2500KG-8MM-RDG-RCS-3M    | 6.6          |
| 2405269140835 | 8717365151897 | 8                    | 2.5        | 3.5      | 2500KG-8MM-RDG-RCS-3,5M  | 7.35         |
| 240526914084  | 8717365151903 | 8                    | 2.5        | 4        | 2500KG-8MM-RDG-RCS-4M    | 8.1          |
| 240526914101  | 8717365151910 | 10                   | 4          | 1        | 4000KG-10MM-RDG-RCS-1M   | 6.1          |
| 2405269141015 | 8717365151927 | 10                   | 4          | 1.5      | 4000KG-10MM-RDG-RCS-1,5M | 7.25         |
| 240526914102  | 8717365151934 | 10                   | 4          | 2        | 4000KG-10MM-RDG-RCS-2M   | 8.4          |
| 2405269141025 | 8717365151941 | 10                   | 4          | 2.5      | 4000KG-10MM-RDG-RCS-2,5M | 9.55         |
| 240526914103  | 8717365151958 | 10                   | 4          | 3        | 4000KG-10MM-RDG-RCS-3M   | 10.7         |
| 2405269141035 | 8717365151965 | 10                   | 4          | 3.5      | 4000KG-10MM-RDG-RCS-3,5M | 11.85        |
| 240526914104  | 8717365151972 | 10                   | 4          | 4        | 4000KG-10MM-RDG-RCS-4M   | 13           |
| 240526914131  | 8717365151989 | 13                   | 6.7        | 1        | 6700KG-13MM-RDG-RCS-1M   | 11.6         |
| 2405269141315 | 8717365151996 | 13                   | 6.7        | 1.5      | 6700KG-13MM-RDG-RCS-1,5M | 13.6         |
| 240526914132  | 8717365152009 | 13                   | 6.7        | 2        | 6700KG-13MM-RDG-RCS-2M   | 15.6         |
| 2405269141325 | 8717365152016 | 13                   | 6.7        | 2.5      | 6700KG-13MM-RDG-RCS-2,5M | 17.6         |
| 240526914133  | 8717365152023 | 13                   | 6.7        | 3        | 6700KG-13MM-RDG-RCS-3M   | 19.6         |
| 2405269141335 | 8717365152030 | 13                   | 6.7        | 3.5      | 6700KG-13MM-RDG-RCS-3,5M | 21.6         |
| 240526914134  | 8717365152047 | 13                   | 6.7        | 4        | 6700KG-13MM-RDG-RCS-4M   | 23.6         |
| 240526914161  | 8717365152054 | 16                   | 10         | 1        | 10T-16MM-RDG-RCS-1M      | 19.6         |
| 2405269141615 | 8717365152061 | 16                   | 10         | 1.5      | 10T-16MM-RDG-RCS-1,5M    | 22.6         |
| 240526914162  | 8717365152078 | 16                   | 10         | 2        | 10T-16MM-RDG-RCS-2M      | 25.6         |

## 1 leg REMA-10-RML-RDG-RCS

### Technical data

| Part code     | GTIN No.      | Chain diameter<br>mm | WLL<br>ton | EWL<br>m | Model                 | Weight<br>kg |
|---------------|---------------|----------------------|------------|----------|-----------------------|--------------|
| 2405269141625 | 8717365152085 | 16                   | 10         | 2.5      | 10T-16MM-RDG-RCS-2,5M | 28.6         |
| 240526914163  | 8717365152092 | 16                   | 10         | 3        | 10T-16MM-RDG-RCS-3M   | 31.6         |
| 2405269141635 | 8717365152108 | 16                   | 10         | 3.5      | 10T-16MM-RDG-RCS-3,5M | 34.6         |
| 240526914164  | 8717365152115 | 16                   | 10         | 4        | 10T-16MM-RDG-RCS-4M   | 37.6         |