

## Chain sling assemblies 2-leg REMA-10-RML-RCX-RCS

### Product information

**REMA<sup>®</sup>**

The [Rema<sup>®</sup> 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

2 leg REMA-10 chain | masterlink RML | connecting link RCX | self locking clevis hook RCS



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality. [... Read more](#)

**Marking:** According to standard, CE-marked

**Standard:** DIN 17115, DIN 5692, EN 1677-1, EN 818-7

**Safety factor:** 4

**Grade:** 10

## Chain sling assemblies 2-leg REMA-10-RML-RCX-RCS

### Technical data

| Part code     | GTIN No.      | Chain diameter<br>mm | WLL<br>ton | EWL<br>m | WLL 0-45°<br>t | WLL 45-60°<br>t | Model                    | Weight<br>kg |
|---------------|---------------|----------------------|------------|----------|----------------|-----------------|--------------------------|--------------|
| 240826922061  | 8717365152474 | 6                    | 1.96       | 1        | 1.96           | 1,4             | 1960KG-6MM-RML-RCS-1M    | 3.3          |
| 2408269220615 | 8717365152481 | 6                    | 1.96       | 1.5      | 1.96           | 1,4             | 1960KG-6MM-RML-RCS-1,5M  | 4.1          |
| 240826922062  | 8717365152498 | 6                    | 1.96       | 2        | 1.96           | 1,4             | 1960KG-6MM-RML-RCS-2M    | 4.9          |
| 2408269220625 | 8717365152504 | 6                    | 1.96       | 2.5      | 1.96           | 1,4             | 1960KG-6MM-RML-RCS-2,5M  | 5.7          |
| 240826922063  | 8717365152511 | 6                    | 1.96       | 3        | 1.96           | 1,4             | 1960KG-6MM-RML-RCS-3M    | 6.5          |
| 2408269220635 | 8717365152528 | 6                    | 1.96       | 3.5      | 1.96           | 1,4             | 1960KG-6MM-RML-RCS-3,5M  | 7.3          |
| 240826922064  | 8717365152535 | 6                    | 1.96       | 4        | 1.96           | 1,4             | 1960KG-6MM-RML-RCS-4M    | 8.1          |
| 240826922081  | 8717365152542 | 8                    | 3.5        | 1        | 3.5            | 2,5             | 3500KG-8MM-RML-RCS-1M    | 5.8          |
| 2408269220815 | 8717365152559 | 8                    | 3.5        | 1.5      | 3.5            | 2,5             | 3500KG-8MM-RML-RCS-1,5M  | 7.3          |
| 240826922082  | 8717365152566 | 8                    | 3.5        | 2        | 3.5            | 2,5             | 3500KG-8MM-RML-RCS-2M    | 8.8          |
| 2408269220825 | 8717365152573 | 8                    | 3.5        | 2.5      | 3.5            | 2,5             | 3500KG-8MM-RML-RCS-2,5M  | 10.3         |
| 240826922083  | 8717365152580 | 8                    | 3.5        | 3        | 3.5            | 2,5             | 3500KG-8MM-RML-RCS-3M    | 11.8         |
| 2408269220835 | 8717365152597 | 8                    | 3.5        | 3.5      | 3.5            | 2,5             | 3500KG-8MM-RML-RCS-3,5M  | 13.3         |
| 240826922084  | 8717365152603 | 8                    | 3.5        | 4        | 3.5            | 2,5             | 3500KG-8MM-RML-RCS-4M    | 14.8         |
| 240826922101  | 8717365152610 | 10                   | 5.6        | 1        | 5.6            | 4               | 5600KG-10MM-RML-RCS-1M   | 9.6          |
| 2408269221015 | 8717365152627 | 10                   | 5.6        | 1.5      | 5.6            | 4               | 5600KG-10MM-RML-RCS-1,5M | 11.9         |
| 240826922102  | 8717365152634 | 10                   | 5.6        | 2        | 5.6            | 4               | 5600KG-10MM-RML-RCS-2M   | 14.2         |
| 2408269221025 | 8717365152641 | 10                   | 5.6        | 2.5      | 5.6            | 4               | 5600KG-10MM-RML-RCS-2,5M | 16.5         |
| 240826922103  | 8717365152658 | 10                   | 5.6        | 3        | 5.6            | 4               | 5600KG-10MM-RML-RCS-3M   | 18.8         |
| 2408269221035 | 8717365152665 | 10                   | 5.6        | 3.5      | 5.6            | 4               | 5600KG-10MM-RML-RCS-3,5M | 21.1         |
| 240826922104  | 8717365152672 | 10                   | 5.6        | 4        | 5.6            | 4               | 5600KG-10MM-RML-RCS-4M   | 23.4         |
| 240826922131  | 8717365152689 | 13                   | 9.38       | 1        | 9.38           | 6,7             | 9380KG-13MM-RML-RCS-1M   | 17.8         |
| 2408269221315 | 8717365152696 | 13                   | 9.38       | 1.5      | 9.38           | 6,7             | 9380KG-13MM-RML-RCS-1,5M | 21.8         |
| 240826922132  | 8717365152702 | 13                   | 9.38       | 2        | 9.38           | 6,7             | 9380KG-13MM-RML-RCS-2M   | 25.8         |
| 2408269221325 | 8717365152719 | 13                   | 9.38       | 2.5      | 9.38           | 6,7             | 9380KG-13MM-RML-RCS-2,5M | 29.8         |
| 240826922133  | 8717365152726 | 13                   | 9.38       | 3        | 9.38           | 6,7             | 9380KG-13MM-RML-RCS-3M   | 33.8         |
| 2408269221335 | 8717365152733 | 13                   | 9.38       | 3.5      | 9.38           | 6,7             | 9380KG-13MM-RML-RCS-3,5M | 37.8         |
| 240826922134  | 8717365152740 | 13                   | 9.38       | 4        | 9.38           | 6,7             | 9380KG-13MM-RML-RCS-4M   | 41.8         |
| 240826922161  | 8717365152757 | 16                   | 14         | 1        | 14             | 10              | 14T-16MM-RML-RCS-1M      | 31.4         |
| 2408269221615 | 8717365152764 | 16                   | 14         | 1.5      | 14             | 10              | 14T-16MM-RML-RCS-1,5M    | 37.4         |
| 240826922162  | 8717365152771 | 16                   | 14         | 2        | 14             | 10              | 14T-16MM-RML-RCS-2M      | 43.4         |

## Chain sling assemblies 2-leg REMA-10-RML-RCX-RCS

### Technical data

| Part code     | GTIN No.      | Chain diameter<br>mm | WLL<br>ton | EWL<br>m | WLL 0-45°<br>t | WLL 45-60°<br>t | Model                 | Weight<br>kg |
|---------------|---------------|----------------------|------------|----------|----------------|-----------------|-----------------------|--------------|
| 2408269221625 | 8717365152788 | 16                   | 14         | 2.5      | 14             | 10              | 14T-16MM-RML-RCS-2,5M | 49.4         |
| 240826922163  | 8717365152795 | 16                   | 14         | 3        | 14             | 10              | 14T-16MM-RML-RCS-3M   | 55.4         |
| 2408269221635 | 8717365152801 | 16                   | 14         | 3.5      | 14             | 10              | 14T-16MM-RML-RCS-3,5M | 61.4         |
| 240826922164  | 8717365152818 | 16                   | 14         | 4        | 14             | 10              | 14T-16MM-RML-RCS-4M   | 67.4         |