

Webbing Sling with Eyes Powertex PWE

Product information



POWERTEX

Powertex Webbing sling with eyes PWE are made from high strength polyester yarn having folded and reinforced eyes as standard.

The PWE slings are color coded for quick and easy identification of the Working Load Limit.

Only standard slings with full ton WLL are shown in the chart, but PWE slings can be delivered with any WLL and length on request.

- Safe – All Powertex PWE webbing slings are made from high strength industrial polyester and tested in accordance to EN 1492-1
- Flat woven, double lay webbing made in solid weaving
- Eyes are equipped with wear protection, from 2t and up, the eyes are also folded for improved handling.
- Each slings carry a blue label giving correct WLL for different load connection methods and angles
- Each sling is marked with a unique serial number for safe sling registration
- Year/Month calendar printed on the label where next inspection date can be marked or punched
- Printing on the blue label is protected by an additional transparent plastic layer for long life
- All slings carry a white label showing pictogram with important user warning instructions
- QR code for on-site access to Multilanguage user manuals
- Test certificate and Declaration of Conformity enclosed with each sling

Chemical resistance: Resistant to most acids, but not strong alkalize: ... [Read more](#)

Material: Polyester

Marking: According to standard, CE-marked, Powertex, WLL, EWL, manufacturing year, batch number, sling's unique serial number, bar code, QR code, inspection calendar, user warning instructions

Temperature range: -40°C up to +100°C.


Standard: EN 1492-1

Note: According to EN 1492-1:2000+A1:2008: D.3.7: Slings should be protected from edges, friction and abrasion, whether from the load or the lifting appliance. Where reinforcements and protection against damage from edges and/or abrasion is supplied as part of the sling, this should be correctly positioned. It may be necessary to supplement this with additional protection.

Safety factor: 7:1

Webbing Sling with Eyes Powertex PWE

Blueprint



Technical data

Part code	WLL ton	EWL m	Webbing width mm	Colour	Weight kg
341100100100200	1	1	30	Violet	0.22
341100100150200	1	1.5	30	Violet	0.32
341100100200200	1	2	30	Violet	0.41
341100200100200	2	1	60	Green	0.43
341100100300200	1	3	30	Violet	0.59
341100200150200	2	1.5	60	Green	0.6
341100300100200	3	1	90	Yellow	0.68
341100200200200	2	2	60	Green	0.77
341100100400200	1	4	30	Violet	0.77
341100100500200	1	5	30	Violet	0.95
341100200300200	2	3	60	Green	1.11
341100100600200	1	6	30	Violet	1.14
341100300200200	3	2	90	Yellow	1.23
341100200400200	2	4	60	Green	1.46
341100300300200	3	3	90	Yellow	1.77
341100200500200	2	5	60	Green	1.8
341100200600200	2	6	60	Green	2.14
341100300400200	3	4	90	Yellow	2.32
341100400300200	4	3	120	Grey	2.38
341100200800200	2	8	60	Green	2.84
341100300500200	3	5	90	Yellow	2.86
341100500300200	5	3	150	Red	2.97

Webbing Sling with Eyes Powertex PWE

Technical data

Part code	WLL ton	EWL m	Webbing width mm	Colour	Weight kg
341100400400200	4	4	120	Grey	3.1
341100600300200	6	3	180	Brown	3.37
341100300600200	3	6	90	Yellow	3.4
341100400500200	4	5	120	Grey	3.82
341100500400200	5	4	150	Red	3.87
341100600400200	6	4	180	Brown	4.44
341100300800200	3	8	90	Yellow	4.51
341100400600200	4	6	120	Grey	4.54
341100500500200	5	5	150	Red	4.77
341100600500200	6	5	180	Brown	5.46
341100500600200	5	6	150	Red	5.67
341100400800200	4	8	120	Grey	6.01
341100600600200	6	6	180	Brown	6.48
341100800400200	8	4	240	Blue	6.75
341100500800200	5	8	150	Red	7.56
341100800500200	8	5	240	Blue	8
341100600800200	6	8	180	Brown	8.62
341101000400200	10	4	300	Orange	8.82
341100800600200	8	6	240	Blue	9.75
341101000500200	10	5	300	Orange	10.79
341101500400200	15	4	240	Orange	12.4
341100800800200	8	8	240	Blue	12.75
341101000600200	10	6	300	Orange	12.76
341100801000200	8	10	240	Blue	15.75
341101000800200	10	8	300	Orange	16.7
341101500600200	15	6	240	Orange	18.3
341101000900200	10	9	300	Orange	18.67
341101001000200	10	10	300	Orange	20.64
341101500800200	15	8	240	Orange	24.3
341101501000200	15	10	240	Orange	30.2
341100800200200	8	2	240	Blue	-

Webbing Sling with Eyes Powertex PWE

Technical data

Part code	WLL ton	EWL m	Webbing width mm	Colour	Weight kg
341101000200200	10	2	300	Orange	-
341100600200200	6	2	180	Brown	-